


REMARKS

Applicant respectfully requests that the Examiner call the below listed attorney if the Examiner has any questions or comments concerning the foregoing.

Respectfully submitted,



Jody C. Bishop
Registration No. 44,034
Counsel for Applicant

Date: 3/28/01

Fulbright & Jaworski L.L.P.
2200 Ross Avenue, Suite 2800
Dallas, Texas 75201-2784
Telephone: 214-855-8007
Telecopier: 214-855-8200



Subject No. 50671-P021US-10016435

PATENT

4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application: Semih Secer
Serial No.: 09/770,427
Filed: January 25, 2001
Art Unit: 2152
For: SYSTEM AND METHOD FOR MANAGING A
COMMUNICATION NETWORK UTILIZING STATE-
BASED POLLING

Version With Markings to Show Changes Made

BRIEF DESCRIPTION OF THE DRAWING

For a more complete understanding of the present invention, reference is now made to the following descriptions taken in conjunction with the accompanying drawing, in which:

Fig. 1 shows an exemplary implementation of a prior art network management system;

Fig. 2 shows a relatively simple example of a state-based approach to polling;

Figs. 3A-3B show an example of a specific state model that may be defined in a preferred embodiment of the present invention;

Figs. 4A-4B show another example of a specific state model that may be defined in a preferred embodiment of the present invention;

Fig. 5 shows an exemplary management system of a preferred embodiment implemented with distributed polling gateways;

Fig. 6 shows an exemplary flow diagram for the process of defining a state model according to a preferred embodiment of the present invention;

Figs. 7A-7[D] C show a plurality of exemplary state models that may be cross-correlated according to a preferred embodiment of the present invention;

Fig. 8 shows an exemplary flow diagram of the operation of a gateway in performing state-based polling according to a preferred embodiment of the present invention;

Figs. 9A-9E show exemplary user interfaces that may be presented to a user for defining and modifying polling services and state models according to a preferred embodiment of the present invention;

Fig. 10 shows an example of utilizing the state-based modeling system of a preferred embodiment to configure a network element;

Fig. 11A shows an example of a user interface that may be implemented in a preferred embodiment to enable a user to define a cross-correlation of state models; and